Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

# SECTION 1: Identification of the substance/mixture and of the company undertaking

· 1.1 Product identifier

· Trade name: Keyring

· Article number: 101322-0040157-00

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Cleaning material/ Detergent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Falcon Waterfree Europe GmbH c/o Von Allmen AG Treuhandgesell.

Chamerstr. 44 6331 Hünenberg

cmitlehner@falconwaterfree.com

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: (24h) +49(0)160-92250872

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labelling:

Alcohols, C16-18, ethoxylated

Turpentine, oil alpha-Pinene

(R)-p-mentha-1,8-diene

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

P280 Wear protective gloves.

(Contd. of page 1)

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous compoi                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |       |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|
| CAS: 68439-49-6                   | Alcohols, C16-18, ethoxylated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | >25-  | -≤50% |
|                                   | ♠ Eye Irrit. 2, H319                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       |       |
| CAS: 25322-68-3                   | Polyethylene glycol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | >2,5  | -≤10% |
| NLP: 500-038-2                    | substance with a Community workplace exposure limit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |       |
| CAS: 8006-64-2                    | Turpentine, oil                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ≥1–   | <2,5% |
| EINECS: 232-350-7                 | Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 ATE: LD50 oral: 500 mg/kg LD50 dermal: 1100 mg/kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |       |
|                                   | LC50/4 h inhalative: 11 mg/l                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |       |
| CAS: 80-56-8<br>EINECS: 201-291-9 | alpha-Pinene  Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315; Skin Sens. 1, H317                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ≥0,2  | 5–<1% |
| CAS: 586-62-9                     | Terpinolene                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ≥0,2  | 5–<19 |
| EINECS: 209-578-0                 | ♠ Flam. Liq. 3, H226; ♠ Asp. Tox. 1, H304; ♠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ♠ Skin Sens. 1B, H317                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       |       |
| CAS: 5989-27-5                    | (R)-p-mentha-1,8-diene                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ≥0,2  | 5-<19 |
| EINECS: 227-813-5                 | ♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400 (M=1); ♦ Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |       |
| CAS: 27458-92-0                   | isotridecan-1-ol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ≥0,25 | -<2,5 |
| EINECS: 248-469-2                 | Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); (N=1); (N=1) |       |       |
| Regulation (EC) No                | 648/2004 on detergents / Labelling for contents                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |       |
| non-ionic surfactants             | 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |       | ≥30%  |
| porfumos /TUDDENI                 | TIME DIMENE TERRINOI ENE LIMONENE CAMPHOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |       |

perfumes (TURPENTINE, PINENE, TERPINOLENE, LIMONENE, CAMPHOR)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

DE-EN

(Contd. on page 3)

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

(Contd. of page 2)

#### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 11

(Contd. on page 4)

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

| · Ingredients with | Ingredients with limit values that require monitoring at the workplace: |  |  |
|--------------------|-------------------------------------------------------------------------|--|--|
| 25322-68-3 Poly    | 25322-68-3 Polyethylene glycol                                          |  |  |
| AGW (Germany)      | Long-term value: 200 E mg/m³<br>2(II);DFG, Y                            |  |  |
| 8006-64-2 Turpe    | 8006-64-2 Turpentine, oil                                               |  |  |
| MAK (Germany)      | Long-term value: 28 mg/m³, 5 ppm                                        |  |  |
| 5989-27-5 (R)-p-   | 5989-27-5 (R)-p-mentha-1,8-diene                                        |  |  |
| AGW (Germany)      | Long-term value: 28 mg/m³, 5 ppm<br>4(II);DFG, H, Sh, Y                 |  |  |
| 27458-92-0 isotr   | 27458-92-0 isotridecan-1-ol                                             |  |  |
| AGW (Germany)      | Long-term value: 21 mg/m³, 2,56 ppm<br>2(II);AGS, 11, Y                 |  |  |

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- · Hand protection



#### Protective gloves

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Nitrile rubber. NBR

Recommended thickness of the material: ≥ 0,5 mm

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Trade name: Keyring

· Eye/face protection

(Contd. of page 4)



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:SolidGreen

Odour: Product specific
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined.
· Upper: Not determined.
· Flash point: >250 °C

• **Decomposition temperature:** Not determined. • **pH** Not applicable.

· Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

Solubility

· water: Soluble.

· Partition coefficient n-octanol/water (log

value)
Not determined.
Not applicable.
Density and/or relative density

Not determined.
Not applicable.

Density: Not determined.
 Relative density Not determined.
 Vapour density Not applicable.
 Particle characteristics See section 3.

· 9.2 Other information

· Appearance:

· Form: Solid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

· Explosives Void

· Flammable gases Void

· Aerosols Void

· Oxidising gases Void

· Gases under pressure Void

· Flammable liquids Void

Flammable solids Void

(Contd. on page 6)

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

|                                       |      | (Contd. of page |
|---------------------------------------|------|-----------------|
| Self-reactive substances and mixtures | Void |                 |
| Pyrophoric liquids                    | Void |                 |
| Pyrophoric solids                     | Void |                 |
| Self-heating substances and mixtures  | Void |                 |
| Substances and mixtures, which emit   |      |                 |
| flammable gases in contact with water | Void |                 |
| Oxidising liquids                     | Void |                 |
| Oxidising solids                      | Void |                 |
| Organic peroxides                     | Void |                 |
| Corrosive to metals                   | Void |                 |
| Desensitised explosives               | Void |                 |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.

| · LD/LC5 | · LD/LC50 values relevant for classification: |                     |  |
|----------|-----------------------------------------------|---------------------|--|
| ATE (A   | ATE (Acute Toxicity Estimates)                |                     |  |
|          |                                               | >1551–≤1557 mg/kg   |  |
| Dermal   | LD50                                          | >77670–≤85437 mg/kg |  |
| 5989-27  | 5989-27-5 (R)-p-mentha-1,8-diene              |                     |  |

| 5989-27 | 5989-27-5 (R)-p-mentha-1,8-diene |                   |  |
|---------|----------------------------------|-------------------|--|
| Oral    | LD50                             | 4400 mg/kg (rat)  |  |
| 27458-9 | 27458-92-0 isotridecan-1-ol      |                   |  |
| Oral    | LD50                             | 14400 mg/kg (rat) |  |
| Dermal  | LD50                             | 5970 mg/kg (rat)  |  |

- · Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

DE-EN

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

(Contd. of page 6)

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

# SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · European waste catalogue |                                            |
|----------------------------|--------------------------------------------|
| 20 01 29*                  | detergents containing hazardous substances |
| HP4                        | Irritant - skin irritation and eye damage  |
| HP14                       | Ecotoxic                                   |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| 14.1 UN number or ID number             |                 |  |
|-----------------------------------------|-----------------|--|
| ADR, IMDG, IATA                         | not regulated   |  |
| 14.2 UN proper shipping name            |                 |  |
| ADR, IMDG, IATA                         | not regulated   |  |
| 14.3 Transport hazard class(es)         |                 |  |
| ADR, ADN, IMDG, IATA                    |                 |  |
| Class                                   | not regulated   |  |
| 14.4 Packing group                      |                 |  |
| ADR, IMDG, IATA                         | not regulated   |  |
| 14.5 Environmental hazards:             | Not applicable. |  |
| 14.6 Special precautions for user       | Not applicable. |  |
| 14.7 Maritime transport in bulk accordi | ng to           |  |
| IMO instruments                         | Not applicable. |  |

(Contd. on page 8)

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

(Contd. of page 7)

· UN "Model Regulation":

not regulated

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

| Class | Share in % |
|-------|------------|
| NK    | 1,7        |

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 9)

Printing date 05.09.2025 Version number 1.00 Revision: 05.09.2025

Trade name: Keyring

(Contd. of page 8)

### Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation

Hazardous to the aquatic environment - longterm (chronic) aquatic hazard The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

### · Department issuing SDS: Regulatory Affairs

Contact: Dr. Bogner

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

DE-EN